



## NOAA - National Weather Service

Tampa Bay Area


2525 14th Avenue SE, Ruskin, Florida 33570

813-645-2323 <https://weather.gov/tampabay>


### Preliminary November and Autumn (Sep/Oct/Nov) 2022 Climate Summary

We've seen a wide range in our temperatures this November with a couple of cold fronts moving through along with tropical cyclone Nicole which brought some heavy rainfall to parts of the region. Most of these fronts were uneventful bringing just a few showers, but the rainfall from Nicole in many areas was more in one day than we usually see during the entire month of November.

Temperature (F)  
11/1/2022 - 11/27/2022




Departure from Normal Temperature (F)  
11/1/2022 - 11/27/2022




Graphics Source: NOAA Regional Climate Centers

As for Autumn, we've had near normal temperatures in September, mostly above normal temperatures in October, and near to slightly above normal temperatures in November, which has left the Autumn average temperatures so far slightly above normal.

Looking at rainfall, most days in November 2022 were dry, which is pretty typical, but as mentioned earlier there was some heavy rainfall during Nicole early in the month that pushed amounts above normal for most of the area with several locations expected to be in the Top Ten Wettest for November.




**Rainfall Nov 1-27, 2022**




**Percent of Normal**

As far rainfall during Autumn it has been somewhat variable with totals ranging from as little as 6 inches to over 25 inches. We saw record rainfall in many spots during September thanks to Ian, then October was rather dry with some locations in the Top Ten Driest, followed by above normal rainfall in November thanks to Nicole.



**Rainfall Sep 1-Nov 27, 2022**



**Percent of Normal**

Contact: Paul Close, [Paul.Close@noaa.gov](mailto:Paul.Close@noaa.gov)

Date: 11/28/2022

On the following pages are tables of the Top Ten Warmest, Coolest, Wettest, and Driest Novembers and Autumns at some official NWS locations, which include the average/total so far for this November and Autumn where available, and the 1991-2020 Normal (average) temperature and rainfall for November and Autumn.

**CHIEFLAND 5 SE** (records began in July 1956):

Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1 69.4 in 1985	1 56.6 in 1976	1 7.52 in 1972	1 Trace in 1978
2 69.2 in 1998	2 56.7 in 2008	2 6.47 in 1997	2 0.15 in 2012
3 68.9 in 1986	3 57.3 in 1970	3 6.02 in 1987	3 0.25 in 2016
4 68.6 in 1994	4 58.2 in 1962	4 5.94 in 2002	4 0.33 in 1956
5 67.5 in 1982	5 58.3 in 1968	5 5.25 in 1958	5 0.35 in 1970
6 67.1 in 2020	6 59.2 in 1969	6 4.95 in 1983	6 0.48 in 1998
7 66.9 in 1973	7 59.3 in 2021	7 4.80 in 1963	7 0.61 in 1990
8 66.5 in 1958	8 59.4 in 2014	8 4.73 in 2013	8 0.62 in 1991
9 66.3 in 1978	9 59.7 in 1984	9 4.55 in 1981	9 0.66 in 2001
10 66.1 in 2003	10 59.8 in 1963	10 4.50 in 1986	10 0.82 in 1993

Average Temperature for November 1-22, 2022 = 66.5°

Normal Temperature for November at CHIF1 = 62.7°

Total Rainfall for November 1-22, 2022 = 2.30 inches

Normal Rainfall for November at CHIF1 = 2.22 inches

-----

Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1 75.2 in 2018	1 67.1 in 1976	1 26.52 in 2004	1 2.05 in 1978
2 75.0 in 2020	2 67.9 in 2008	2 24.26 in 1983	2 3.83 in 2008
3 74.9 in 1998	3 68.7 in 2006	3 20.54 in 1964	3 4.20 in 1961
4 74.2 in 1986	4 68.8 in 1968	4 18.65 in 1959	4 5.13 in 2010
5 73.9 in 1985	5 68.9 in 2000	5 17.59 in 1985	5 5.37 in 1970
6 73.7 in 1959	6 69.1 in 1963	6 16.94 in 1998	6 5.38 in 2003
7 73.4 in 2019	69.1 in 1969	7 16.38 in 1997	7 6.24 in 1991
8 73.0 in 1973	8 69.3 in 1956	8 15.91 in 1960	8 6.61 in 1974
9 72.9 in 2016	69.3 in 1962	9 15.67 in 2002	9 6.65 in 2005
10 72.6 in 1994	10 69.6 in 2010	10 15.26 in 2017	10 6.67 in 1968

Average Temperature for Sep 1 - Nov 22, 2022 = 72.1°

Normal Temperature for Autumn at CHIF1 = 70.9°

Total Rainfall for Sep 1 - Nov 22, 2022 = 6.03 inches

Normal Rainfall for Autumn at CHIF1 = 11.21 inches

-----

**INVERNESS 3 SE** (records began in July 1948):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	73.1 in 2015	1	59.0 in 1991	1	7.73 in 1980	1	0.00 in 2004
2	71.0 in 2020	2	59.5 in 1976	2	6.40 in 1997		0.00 in 1978
3	70.3 in 1958	3	60.3 in 2002	3	6.21 in 1972	3	0.01 in 2016
4	69.3 in 1964	4	60.5 in 2014	4	5.48 in 1951	4	0.02 in 1950
	69.3 in 1978	5	60.6 in 1997	5	4.90 in 2015	5	0.07 in 2012
6	68.8 in 1957	6	61.0 in 1950	6	4.78 in 2014	6	0.23 in 1993
7	68.6 in 1998	7	61.3 in 2012	7	4.69 in 1988	7	0.25 in 1967
8	68.5 in 1973	8	61.4 in 1995	8	3.77 in 2005	8	0.28 in 1956
	68.5 in 1960	9	61.6 in 2000	9	3.70 in 2017	9	0.36 in 2001
10	68.4 in 2003	10	61.7 in 1949	10	3.46 in 1953	10	0.38 in 1966

Average Temperature for November 1-27, 2022 = Not Available Yet

Normal Temperature for November at INVFl = 64.3°

Total Rainfall for November 1-27, 2022 = Not Available Yet

Normal Rainfall for November at INVFl = 1.83 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	76.8 in 2020	1	68.4 in 1976	1	21.53 in 2017	1	2.08 in 1967
2	76.1 in 2015	2	69.4 in 1997	2	21.34 in 1960	2	2.92 in 1978
3	75.1 in 1958	3	70.2 in 1991	3	21.07 in 1950	3	4.19 in 1961
4	75.0 in 2019	4	70.4 in 2006	4	19.73 in 2021	4	4.56 in 1974
5	74.9 in 1998	5	70.6 in 2000	5	19.55 in 1992	5	4.97 in 2010
	74.9 in 1960	6	70.7 in 1987	6	19.27 in 1997	6	5.13 in 2003
	74.9 in 1959	7	70.8 in 2014	7	18.83 in 2004	7	5.37 in 1954
8	74.2 in 1948	8	71.1 in 1956	8	17.75 in 2016	8	5.47 in 2012
9	74.1 in 2009	9	71.3 in 2002	9	17.32 in 2001	9	5.85 in 2000
	74.1 in 2007	10	71.5 in 1996	10	16.51 in 1988	10	6.14 in 1996

Average Temperature for Sep 1 - Nov 27, 2022 = Not Available Yet

Normal Temperature for Autumn at INVFl = 71.9°

Total Rainfall for Sep 1 - Nov 27, 2022 = Not Available Yet

Normal Rainfall for Autumn at INVFl = 10.56 inches

-----

**BROOKSVILLE AREA** (records began in January 1892):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 73.2 in 2015	1 57.5 in 1901	1 9.31 in 1916	1 0.00 in 1967
2 72.7 in 1948	2 60.3 in 2008	2 9.17 in 1987	2 Trace in 2016
3 72.6 in 1946	3 60.5 in 1892	3 8.30 in 1951	Trace in 1931
4 71.0 in 2020	4 60.8 in 2014	4 7.08 in 2014	4 0.01 in 1978
71.0 in 1958	5 61.1 in 1923	5 6.64 in 1937	5 0.05 in 1928
6 70.7 in 1994	6 61.3 in 2000	6 6.56 in 1980	6 0.12 in 2001
7 70.5 in 1973	7 61.4 in 2012	7 6.28 in 1999	7 0.15 in 1913
70.5 in 1896	61.4 in 1917	8 6.14 in 1972	8 0.18 in 1940
9 70.1 in 1905	9 61.8 in 2002	9 5.49 in 1932	9 0.22 in 1956
10 69.8 in 1988	10 61.9 in 1962	10 5.14 in 1988	0.22 in 1924
69.8 in 1929		5.14 in 1920	0.22 in 1900

Average Temperature for November 1-27, 2022 = 70.0°

Normal Temperature for November at BKV = 65.1°

Total Rainfall for November 1-27, 2022 = Several Days Missing

Normal Rainfall for November at BKV = 1.59 inches

-----

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 76.6 in 2020	1 69.3 in 1892	1 27.84 in 1950	1 2.30 in 1903
2 76.0 in 1911	2 69.5 in 1901	2 24.74 in 1912	2 3.58 in 2008
3 75.9 in 2015	3 70.2 in 1920	3 22.68 in 1894	3.58 in 1978
4 75.7 in 1905	4 70.3 in 2008	4 21.62 in 1947	4 3.87 in 1967
5 75.4 in 1941	5 70.4 in 1923	5 21.50 in 1922	5 3.97 in 1909
75.4 in 1919	6 70.5 in 2000	6 21.46 in 1995	6 4.10 in 2010
75.4 in 1915	7 70.8 in 2006	7 21.24 in 1921	7 4.58 in 1940
8 75.3 in 1946	8 70.9 in 2014	8 20.56 in 1938	8 4.61 in 1991
75.3 in 1927	70.9 in 1894	9 20.36 in 1911	9 5.37 in 2015
10 75.2 in 2018	10 71.0 in 1953	10 19.88 in 1988	10 5.61 in 1961
75.2 in 1973			

Average Temperature for Sep 1 - Nov 27, 2022 = 74.2°

Normal Temperature for Autumn at BKV = 72.7°

Total Rainfall for Sep 1 - Nov 27, 2022 = Several days missing

Normal Rainfall for Autumn at BKV = 10.17 inches

-----

**ST LEO** (records began in April 1895):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.1 in 1986	1	60.8 in 1917	1	12.48 in 1988	1	Trace in 1960
2	73.6 in 1985	2	61.3 in 1901	2	8.34 in 1951	2	0.02 in 1978
3	73.2 in 1946	3	61.7 in 1910	3	7.36 in 1987	3	0.03 in 1931
4	73.1 in 1948	4	62.2 in 1930	4	7.21 in 2014		0.03 in 1928
5	72.0 in 1998	5	62.3 in 2014	5	6.22 in 1916	5	0.06 in 2016
6	71.8 in 2015	6	62.5 in 1923	6	6.12 in 1963	6	0.08 in 2012
	71.8 in 1994	7	62.6 in 1970	7	6.06 in 1972	7	0.21 in 1993
8	71.5 in 1982	8	62.8 in 1933	8	5.84 in 1911	8	0.22 in 1940
9	71.4 in 1958		62.8 in 1932	9	5.61 in 1918	9	0.23 in 1913
10	71.3 in 2020		62.8 in 1904	10	4.89 in 2020	10	0.26 in 1945
	71.3 in 1978						

Average Temperature for November 1-27, 2022 = Not Available Yet  
Normal Temperature for November at STLf1 = 66.8°

Total Rainfall for November 1-27, 2022 = Not Available Yet  
Normal Rainfall for November at STLf1 = 1.86 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.9 in 1985	1	69.8 in 1917	1	25.80 in 1988	1	1.52 in 1978
2	77.4 in 1986	2	70.1 in 1903	2	25.13 in 1912	2	3.19 in 1940
3	76.5 in 2020	3	70.2 in 1930	3	24.60 in 1922	3	3.56 in 2010
	76.5 in 1998	4	70.7 in 1920	4	22.73 in 1953	4	3.81 in 1909
5	76.4 in 2007	5	71.0 in 1976	5	21.77 in 1997	5	4.14 in 1967
6	76.2 in 1946		71.0 in 1923	6	21.48 in 1982	6	4.76 in 1991
7	76.1 in 2009	7	71.1 in 1910	7	21.40 in 1950	7	5.09 in 2008
	76.1 in 1941	8	71.4 in 1943	8	21.29 in 1921	8	5.11 in 2018
9	75.9 in 2004	9	71.5 in 2014	9	20.71 in 1949	9	5.33 in 1931
10	75.8 in 2018	10	71.8 in 1956	10	20.35 in 2004	10	5.63 in 1961
	75.8 in 2003		71.8 in 1922				

Average Temperature for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Temperature for Autumn at STLf1= 73.6°

Total Rainfall for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Rainfall for Autumn at STLf1 = 11.55 inches

-----



**TARPON SPRINGS** (records began in January 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.9 in 1986	1	59.6 in 2004	1	9.13 in 1988	1	0.00 in 2016
2	74.4 in 1985	2	60.0 in 1901	2	8.18 in 1916	2	Trace in 1939
3	74.3 in 1946	3	61.5 in 1917	3	6.99 in 1997		Trace in 1931
4	73.5 in 2015	4	61.7 in 1962	4	6.63 in 1992	4	0.02 in 1978
5	72.6 in 1994		61.7 in 1892	5	6.09 in 2014	5	0.06 in 1933
6	72.3 in 1998	6	61.9 in 1910	6	5.80 in 1963	6	0.08 in 1942
7	71.8 in 2003	7	62.5 in 1904	7	5.57 in 1920	7	0.09 in 1940
8	71.6 in 1896	8	62.6 in 2014	8	5.49 in 2020		0.09 in 1928
9	71.4 in 1982		62.6 in 1970	9	5.19 in 1955	9	0.10 in 1930
10	71.3 in 1929	10	63.0 in 1976	10	5.18 in 1896	10	0.13 in 1924
	71.3 in 1919		63.0 in 1912				

Average Temperature for November 1-27, 2022 = 69.8°

Normal Temperature for November at TRPF1 = 67.5°

Total Rainfall for November 1-27, 2022 = 3.57 inches

Normal Rainfall for November at TRPF1 = 1.90 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 1985	1	70.8 in 1917	1	28.87 in 1911	1	1.85 in 2005
2	78.0 in 1986		70.8 in 1892	2	28.34 in 1988	2	3.33 in 1978
3	77.9 in 1919	3	71.4 in 1903	3	24.31 in 2014	3	3.44 in 1967
4	77.6 in 2018	4	71.5 in 1976	4	22.25 in 1997	4	4.62 in 2008
5	76.8 in 2020	5	71.7 in 1967	5	21.71 in 1983	5	4.85 in 2010
	76.8 in 1946		71.7 in 1901	6	21.70 in 1912	6	4.86 in 1927
7	76.7 in 2015	7	71.9 in 1963	7	21.43 in 1975	7	5.57 in 1909
	76.7 in 1994		71.9 in 1962	8	20.78 in 1995	8	5.74 in 1930
9	76.6 in 2019		71.9 in 1940		20.78 in 1959	9	5.99 in 1981
	76.6 in 1998		71.9 in 1904	10	20.60 in 1971	10	6.37 in 1961
			71.9 in 1899				6.37 in 1933

Average Temperature for Sep 1 - Nov 27, 2022 = 74.7°

Normal Temperature for Autumn at TRPF1 = 74.8°

Total Rainfall for Sep 1 - Nov 27, 2022 = 13.29 inches

Normal Rainfall for Autumn at TRPF1 = 12.12 inches

-----

**TAMPA AREA** (records began in April 1890):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.3 in 1986	1	61.4 in 1901	1	6.12 in 1963	1	Trace in 1960
2	76.2 in 2015	2	61.9 in 1970	2	5.97 in 1988	2	0.01 in 2016
3	74.6 in 2020	3	62.3 in 1968	3	5.40 in 2020		0.01 in 1978
4	73.7 in 1946	4	62.5 in 1962	4	5.38 in 1944	4	0.04 in 1931
5	73.6 in 1948	5	62.8 in 1976	5	5.26 in 2014	5	0.05 in 1928
	73.6 in 1985	6	62.9 in 1969	6	4.89 in 1953	6	0.08 in 1927
7	72.7 in 1958		62.9 in 1917	7	4.85 in 1925	7	0.10 in 2001
8	72.5 in 1998	8	63.3 in 1910	8	4.75 in 1941		0.10 in 1942
9	72.3 in 1994	9	63.4 in 1923	9	4.36 in 1987	9	0.11 in 2007
10	72.1 in 2017	10	63.7 in 1949	10	4.34 in 1916	10	0.12 in 2017
							0.12 in 1974

Average Temperature for November 1-27, 2022 = 72.6°

Normal Temperature for November at TPA = 69.8°

Total Rainfall for November 1-27, 2022 = 5.14 inches

Normal Rainfall for November at TPA = 1.40 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.0 in 1976	1	24.38 in 1894	1	3.19 in 2010
2	79.0 in 2015	2	71.6 in 1903	2	22.83 in 1912	2	3.30 in 1909
3	78.9 in 2018		71.6 in 1891	3	20.45 in 1997	3	3.62 in 1961
4	78.4 in 1986	4	71.7 in 1968	4	19.80 in 1922	4	4.06 in 1942
5	78.1 in 2019	5	71.8 in 1917	5	19.62 in 1988	5	4.21 in 1940
6	77.9 in 2017		71.8 in 1901	6	19.07 in 1947	6	4.25 in 1913
7	77.8 in 1985	7	71.9 in 1923	7	18.15 in 1953	7	4.35 in 1974
8	77.7 in 2016	8	72.2 in 1892	8	17.60 in 1890	8	5.07 in 1967
9	77.5 in 1919	9	72.3 in 1962	9	16.58 in 1911	9	5.22 in 1984
10	77.3 in 2021	10	72.4 in 1956	10	16.41 in 1975	10	5.33 in 2003
			72.4 in 1910				

Average Temperature for Sep 1 - Nov 27, 2022 = 77.0°

Normal Temperature for Autumn at TPA = 76.6°

Total Rainfall for Sep 1 - Nov 27, 2022 = 18.53 inches

Normal Rainfall for Autumn at TPA = 9.83 inches

-----



**ST PETERSBURG** (records began in August 1914):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	77.4 in 1986	1	63.9 in 1917	1	6.94 in 1988	1	0.00 in 1931
2	76.3 in 1985	2	64.3 in 1962	2	6.85 in 1953	2	0.02 in 1960
3	74.9 in 2015	3	64.7 in 1949	3	6.80 in 1987	3	0.03 in 2016
4	74.8 in 1946	4	65.1 in 1976	4	6.18 in 2020		0.03 in 1942
5	74.5 in 1948	5	65.2 in 1995	5	6.04 in 1963	5	0.04 in 2001
6	74.3 in 2020		65.2 in 1951	6	5.71 in 1916	6	0.10 in 1978
7	73.8 in 2005	7	65.3 in 1950	7	5.63 in 1925	7	0.12 in 1974
8	73.7 in 1978	8	65.4 in 1954	8	5.08 in 1954	8	0.14 in 1930
9	73.5 in 1958	9	65.7 in 1956	9	5.03 in 1968	9	0.15 in 1928
10	72.9 in 1994		65.7 in 1923	10	5.02 in 1915	10	0.18 in 1946
	72.9 in 1929						

Average Temperature for November 1-27, 2022 = 72.3°

Normal Temperature for November at SPG = 70.6°

Total Rainfall for November 1-27, 2022 = 2.93 inches

Normal Rainfall for November at SPG = 1.46 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	80.0 in 1985	1	72.6 in 1917	1	32.75 in 1988	1	2.13 in 2010
2	79.9 in 1986	2	73.2 in 1956	2	30.04 in 1953	2	4.00 in 1990
3	79.8 in 2005	3	73.4 in 1952	3	26.31 in 1986	3	4.49 in 1967
4	79.3 in 2020	4	73.5 in 1954	4	26.30 in 1952	4	4.69 in 2008
5	79.1 in 2015		73.5 in 1953	5	21.83 in 1997	5	4.84 in 1964
6	79.0 in 2018	6	73.6 in 1976	6	21.06 in 1922	6	5.01 in 1940
7	78.9 in 2019		73.6 in 1962	7	20.14 in 1954	7	5.52 in 1927
8	78.4 in 2013		73.6 in 1923	8	19.12 in 1918	8	5.61 in 1966
	78.4 in 1941	9	73.7 in 1943	9	19.07 in 2001	9	5.73 in 1965
10	78.3 in 2010	10	73.9 in 1950	10	18.52 in 1959	10	6.14 in 1939
	78.3 in 1919						

Average Temperature for Sep 1 - Nov 27, 2022 = 76.8°

Normal Temperature for Autumn at SPG = 77.0°

Total Rainfall for Sep 1 - Nov 27, 2022 = 16.32 inches

Normal Rainfall for Autumn at SPG = 10.28 inches

-----

**PLANT CITY** (records began in September 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.8 in 1932	1	7.88 in 1953	1	0.00 in 1960
2	74.6 in 2015	2	62.0 in 1930	2	7.34 in 1988		0.00 in 1931
3	74.3 in 1948	3	62.1 in 1917	3	6.89 in 2020		0.00 in 1905
4	74.2 in 2020	4	62.4 in 1933	4	6.75 in 2014	4	0.01 in 2007
5	73.9 in 1946	5	62.6 in 1904	5	6.46 in 1963	5	0.05 in 2012
6	72.7 in 1985	6	62.9 in 1912	6	5.90 in 1918	6	0.10 in 1928
7	72.5 in 1896	7	63.1 in 2014	7	5.56 in 1971		0.10 in 1924
8	72.3 in 1994	8	63.3 in 1962	8	4.63 in 1980	8	0.13 in 1940
	72.3 in 1958		63.3 in 1949	9	4.52 in 1987	9	0.15 in 2017
10	71.7 in 1978	10	63.4 in 1926	10	4.41 in 1947		0.15 in 1978

Average Temperature for November 1-27, 2022 = 73.9°

Normal Temperature for November at PLCF1 = 69.4°

Total Rainfall for November 1-27, 2022 = 4.78 inches

Normal Rainfall for November at PLCF1 = 1.76 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.6 in 2020	1	70.4 in 1930	1	25.05 in 1947	1	1.89 in 1909
2	78.4 in 2018	2	70.8 in 1932	2	23.20 in 1894	2	1.99 in 1961
3	78.3 in 2019	3	71.2 in 1940	3	23.04 in 1988	3	3.56 in 1940
4	77.9 in 1986	4	71.5 in 2000	4	21.72 in 1953	4	4.08 in 1991
5	77.4 in 2015	5	71.6 in 1976	5	20.54 in 2020	5	4.29 in 1927
6	77.2 in 1985	6	71.7 in 1943	6	20.36 in 2014	6	4.41 in 1990
7	76.4 in 1946	7	72.0 in 1937	7	20.15 in 2004	7	4.55 in 2010
8	76.2 in 2021		72.0 in 1909	8	20.06 in 1998	8	4.57 in 1939
9	76.0 in 2016	9	72.2 in 1968	9	19.92 in 1959	9	4.63 in 1967
10	75.9 in 1948	10	72.4 in 1926	10	19.76 in 1912	10	4.67 in 2008
	75.9 in 1911						

Average Temperature for Sep 1 - Nov 27, 2022 = 77.4°

Normal Temperature for Autumn at PLCF1 = 76.1°

Total Rainfall for Sep 1 - Nov 27, 2022 = 20.37 inches

Normal Rainfall for Autumn at PLCF1 = 11.33 inches

-----

**LAKELAND AREA** (records began in January 1915):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.9 in 1986	1	62.6 in 1970	1	7.56 in 2014	1	0.00 in 1924
2	75.4 in 2015	2	62.9 in 1962	2	7.19 in 1988	2	Trace in 2016
3	73.4 in 1985	3	63.0 in 1969	3	6.08 in 1987		Trace in 1960
4	73.3 in 1994	4	63.4 in 1949	4	5.94 in 1941		Trace in 1917
	73.3 in 1948	5	63.5 in 1976	5	5.80 in 2020	5	0.03 in 1931
6	73.1 in 1946		63.5 in 1951	6	5.71 in 1963	6	0.05 in 1928
7	73.0 in 2020		63.5 in 1950	7	5.54 in 1980	7	0.07 in 1950
8	71.6 in 2003	8	63.7 in 1968	8	5.37 in 1953	8	0.08 in 2012
	71.6 in 1958	9	63.9 in 2008	9	4.59 in 2018	9	0.10 in 1991
10	71.5 in 1998	10	64.0 in 1923	10	4.48 in 1997	10	0.11 in 1940

Average Temperature for November 1-27, 2022 = 72.1°

Normal Temperature for November at LLDF1 = 69.2°

Total Rainfall for November 1-27, 2022 = 3.63 inches

Normal Rainfall for November at LLDF1 = 1.93 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.2 in 1986	1	71.5 in 1976	1	22.45 in 2014	1	2.99 in 1961
2	78.6 in 2020	2	72.1 in 1943	2	21.46 in 2004	2	3.21 in 1940
3	78.3 in 2015	3	72.2 in 1923	3	19.78 in 1947	3	4.16 in 1942
4	78.1 in 1985	4	72.3 in 2006	4	19.52 in 1918	4	4.25 in 1927
5	78.0 in 2018		72.3 in 1968	5	18.47 in 1998	5	4.28 in 1934
6	77.4 in 2019		72.3 in 1956	6	18.39 in 1929	6	4.58 in 2010
7	77.0 in 1994	7	72.4 in 1967	7	18.29 in 1953	7	4.69 in 2008
8	76.8 in 2009	8	72.5 in 1940	8	17.36 in 1997	8	5.01 in 1967
9	76.7 in 1990	9	72.6 in 1954	9	17.09 in 1989	9	5.12 in 1978
10	76.6 in 2017	10	72.7 in 1962	10	17.08 in 2020	10	5.35 in 1974
			72.7 in 1953				
			72.7 in 1924				

Average Temperature for Sep 1 - Nov 27, 2022 = 76.5°

Normal Temperature for Autumn at LLDF1 = 75.7°

Total Rainfall for Sep 1 - Nov 27, 2022 = 18.12 inches

Normal Rainfall for Autumn at LLDF1 = 12.59 inches

-----

**WINTER HAVEN AREA** (records began in January 1941):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 76.8 in 1986	1 63.1 in 1962	1 7.81 in 1988	1 0.00 in 1960
2 75.6 in 1948	2 63.2 in 1970	2 7.13 in 1987	0.00 in 1950
3 75.1 in 2015	3 63.9 in 2008	3 6.76 in 1953	3 Trace in 2011
4 74.9 in 1985	63.9 in 1968	4 6.27 in 1963	4 0.01 in 2012
5 74.5 in 1946	5 64.1 in 1976	5 5.32 in 1994	5 0.07 in 2016
6 73.5 in 2020	6 64.5 in 1949	6 5.21 in 1980	6 0.13 in 1966
7 73.1 in 1994	7 64.6 in 1969	7 4.94 in 1951	7 0.16 in 1942
8 72.6 in 1988	8 64.7 in 1981	8 4.07 in 1995	8 0.19 in 1985
9 72.4 in 1958	9 64.9 in 1950	9 4.00 in 2020	9 0.20 in 2017
10 72.2 in 1998	10 65.0 in 2012	10 3.97 in 1968	0.20 in 1991
	65.0 in 1951		0.20 in 1967

Average Temperature for November 1-27, 2022 = 72.6°

Normal Temperature for November at GIF = 69.8°

Total Rainfall for November 1-27, 2022 = A couple of days missing

Normal Rainfall for November at GIF = 1.45 inches

-----

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.2 in 2020	1 71.8 in 1976	1 21.86 in 1987	1 2.72 in 1961
2 79.1 in 2018	2 72.2 in 1968	2 20.61 in 1947	2 3.11 in 2009
3 79.0 in 1986	3 72.5 in 1962	3 20.57 in 1953	3 4.27 in 1967
4 78.7 in 2019	4 73.0 in 1963	4 20.35 in 1960	4 4.29 in 2008
5 78.4 in 1985	5 73.2 in 2006	5 18.82 in 1959	5 4.91 in 1985
6 78.0 in 2015	6 73.3 in 2008	6 18.11 in 1950	6 5.14 in 1942
7 77.2 in 1998	73.3 in 1981	7 17.84 in 2014	7 5.44 in 1978
77.2 in 1989	73.3 in 1953	8 17.59 in 2001	8 5.54 in 2006
77.2 in 1946	9 73.4 in 1943	9 17.16 in 1988	9 5.78 in 1990
77.2 in 1941	10 73.5 in 2000	10 16.36 in 2020	10 5.87 in 2015

Average Temperature for Autumn 2022 = Many days missing/unrepresentative

Normal Temperature for Autumn at GIF = 76.4°

Total Rainfall for Autumn 2022 = Many days missing

Normal Rainfall for Autumn at GIF = 8.98 inches

-----

**BARTOW** (records began in June 1892):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.4 in 1986	1	60.9 in 1917	1	7.40 in 1987	1	0.00 in 2016
2	75.3 in 2015	2	61.5 in 1970	2	7.36 in 2002		0.00 in 1960
3	74.5 in 1948	3	62.0 in 1910	3	6.52 in 1963	3	0.02 in 1931
4	73.6 in 2013	4	62.3 in 1901	4	6.33 in 1988	4	0.04 in 1966
	73.6 in 1985	5	62.6 in 1904	5	5.97 in 1953		0.04 in 1928
6	73.5 in 1946		62.6 in 1892	6	5.80 in 1951	6	0.05 in 2012
7	73.0 in 1994	7	62.9 in 1962	7	4.75 in 1911	7	0.06 in 1950
8	72.9 in 1958	8	63.5 in 2008	8	4.71 in 1937	8	0.09 in 1923
9	72.5 in 2020		63.5 in 1912	9	4.68 in 2015	9	0.10 in 2007
	72.5 in 1998	10	63.6 in 1939	10	4.54 in 1983		0.10 in 1974

Average Temperature for November 1-27, 2022 = Not Available Yet

Normal Temperature for November at BARF1 = 68.3°

Total Rainfall for November 1-27, 2022 = Not Available Yet

Normal Rainfall for November at BARF1 = 1.49 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	77.8 in 2020	1	71.0 in 1894	1	26.99 in 1894	1	3.71 in 1942
	77.8 in 2015	2	71.1 in 1892	2	21.30 in 1947	2	4.88 in 2010
3	77.2 in 1998	3	71.4 in 1917	3	20.97 in 1917	3	5.00 in 1940
4	77.1 in 2018	4	71.8 in 1976	4	20.77 in 1922	4	5.02 in 1990
5	76.9 in 2009	5	72.1 in 1895	5	20.38 in 1959	5	5.25 in 1961
6	76.8 in 1946	6	72.3 in 1914	6	20.31 in 1982	6	5.26 in 1939
	76.8 in 1919	7	72.4 in 1970	7	19.77 in 1953	7	5.29 in 1984
8	76.5 in 2019	8	72.5 in 1904	8	19.43 in 1902	8	5.47 in 1974
	76.5 in 1958	9	72.8 in 1967	9	19.30 in 1960	9	5.57 in 1906
10	76.4 in 1994		72.8 in 1963	10	18.97 in 2004	10	5.90 in 1927
			72.8 in 1935				

Average Temperature for Sep 1 - Nov 27, 2022 = Not Available Yet

Normal Temperature for Autumn at BARF1 = 74.8°

Total Rainfall for Sep 1 - Nov 27, 2022 = Not Available Yet

Normal Rainfall for Autumn at BARF1 = 11.83 inches

-----

**SARASOTA-BRADENTON AREA** (records began in January 1911):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.1 in 1986	1	63.2 in 1917	1	9.40 in 1997	1	0.00 in 1931
2	75.4 in 2015	2	63.5 in 1949	2	7.62 in 2020	2	Trace in 1940
3	74.7 in 2020		63.5 in 1923	3	6.81 in 1920		Trace in 1928
4	73.2 in 1948	4	64.2 in 1976	4	6.24 in 1925	4	0.02 in 2016
5	73.1 in 1958	5	64.5 in 2008	5	5.68 in 1953	5	0.06 in 2001
6	72.7 in 1994	6	64.6 in 2014	6	5.18 in 1941		0.06 in 1991
7	72.4 in 1985		64.6 in 1981	7	5.15 in 1988	7	0.09 in 1930
8	72.2 in 2013	8	64.7 in 1968	8	4.94 in 1918	8	0.16 in 2007
9	72.1 in 1998	9	64.8 in 1933	9	4.69 in 2002	9	0.20 in 1945
	72.1 in 1946	10	65.0 in 1962	10	4.55 in 1972	10	0.21 in 1978
							0.21 in 1950

Average Temperature for November 1-27, 2022 = 73.3°

Normal Temperature for November at SRQ = 70.1°

Total Rainfall for November 1-27, 2022 = 2.64 inches

Normal Rainfall for November at SRQ = 1.81 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	79.7 in 2020	1	71.3 in 1976	1	28.46 in 1953	1	3.64 in 2010
	79.7 in 2019	2	72.2 in 1930	2	25.64 in 1962	2	4.01 in 1991
3	78.3 in 2016	3	72.3 in 1943	3	23.66 in 1922	3	5.08 in 1942
4	78.2 in 1986	4	72.5 in 1940	4	23.12 in 1997	4	5.44 in 1974
5	78.0 in 2015	5	72.7 in 1923	5	22.26 in 1912	5	5.61 in 2012
6	77.8 in 2018	6	73.0 in 1981	6	22.01 in 1952	6	5.90 in 2019
7	77.3 in 2007		73.0 in 1944	7	21.30 in 1988	7	5.95 in 1945
8	77.1 in 1998		73.0 in 1937	8	20.43 in 1928	8	6.05 in 1944
	77.1 in 1990	9	73.1 in 1968	9	20.29 in 1957	9	6.27 in 1984
10	77.0 in 2013		73.1 in 1956	10	19.80 in 1960	10	6.42 in 1930

Average Temperature for Sep 1 - Nov 27, 2022 = 76.4°

Normal Temperature for Autumn at SRQ = 76.5°

Total Rainfall for Sep 1 - Nov 27, 2022 = 18.96 inches

Normal Rainfall for Autumn at SRQ = 10.57 inches

-----



**VENICE** (records began in May 1955):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.8 in 2015	1	64.2 in 2008	1	7.65 in 1997	1	0.00 in 1991
2	74.1 in 1985	2	64.7 in 1962	2	6.02 in 2020	2	0.02 in 2007
3	73.6 in 1998	3	64.9 in 1981	3	5.85 in 1972	3	0.04 in 2001
	73.6 in 1994		64.9 in 1970	4	5.56 in 1983	4	0.06 in 2016
5	73.5 in 2020	5	65.1 in 1956	5	5.55 in 1963	5	0.15 in 1960
6	72.5 in 2013	6	65.2 in 1976	6	4.77 in 1957	6	0.20 in 1993
7	72.3 in 2003	7	65.4 in 1968	7	4.46 in 1980	7	0.30 in 1956
8	72.2 in 1978	8	65.8 in 2014	8	4.14 in 1998	8	0.31 in 1978
9	71.9 in 2011	9	66.0 in 1969	9	3.77 in 1968	9	0.32 in 2012
	71.9 in 1982	10	66.8 in 2021	10	3.72 in 2014		0.32 in 2003
			66.8 in 1966				

Average Temperature for November 1-27, 2022 = 74.0°

Normal Temperature for November at VNCF1 = 69.9°

Total Rainfall for November 1-27, 2022 = 3.49 inches

Normal Rainfall for November at VNCF1 = 1.54 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.9 in 2009	1	71.8 in 1976	1	26.44 in 1983	1	3.04 in 1961
2	78.5 in 1998	2	72.1 in 1968	2	25.83 in 1995	2	3.63 in 1981
3	78.4 in 2015	3	72.8 in 2008	3	21.38 in 1997	3	5.24 in 1978
4	78.0 in 2020		72.8 in 1956	4	20.89 in 1960	4	5.81 in 2010
5	77.8 in 2018	5	73.6 in 1974	5	20.27 in 1968	5	6.18 in 1964
	77.8 in 2013	6	73.7 in 1987	6	19.23 in 1959	6	6.59 in 1984
	77.8 in 1985		73.7 in 1981	7	18.86 in 1982	7	7.16 in 1990
8	77.6 in 2010		73.7 in 1962	8	18.67 in 2014	8	7.38 in 2011
9	77.3 in 1994	9	73.9 in 1977	9	18.33 in 1957	9	7.53 in 2019
10	77.0 in 2017	10	74.0 in 2006	10	18.29 in 1962	10	7.81 in 1965
	77.0 in 2011						
	77.0 in 2003						

Average Temperature for Sep 1 - Nov 27, 2022 = 77.1°

Normal Temperature for Autumn at VNCF1 = 76.0°

Total Rainfall for Sep 1 - Nov 27, 2022 = 25.14 inches

Normal Rainfall for Autumn at VNCF1 = 12.05 inches

-----

**MYAKKA RIVER STATE PARK** (Temperature records began in March 1956  
and Rainfall records began in Sep 1943):

Warmest Novembers	Coolest Novembers	Wettest Novembers	Driest Novembers
1 75.8 in 2015	1 62.1 in 1962	1 10.19 in 1997	1 0.00 in 2001
2 75.6 in 1986	2 62.4 in 1969	2 5.13 in 1953	2 0.02 in 1950
3 73.4 in 1998	3 62.8 in 1970	3 5.04 in 1947	3 0.03 in 1991
4 73.2 in 1985	4 63.2 in 1968	4 5.01 in 1972	4 0.07 in 2016
5 72.8 in 2020	5 64.1 in 2008	5 4.87 in 1981	5 0.19 in 2012
6 72.7 in 1958	6 65.3 in 2000	6 4.76 in 2020	6 0.20 in 1944
7 72.3 in 1982	7 65.4 in 2012	7 4.73 in 1958	7 0.30 in 1996
8 72.1 in 2013	65.4 in 1963	8 4.52 in 1963	0.30 in 1993
72.1 in 1978	9 65.6 in 2021	9 4.45 in 2002	0.30 in 1965
10 71.6 in 2003	10 65.8 in 1976	10 4.42 in 1983	10 0.37 in 1945

Average Temperature for November 1-27, 2022 = Not Available Yet  
Normal Temperature for November at MKCF1 = 69.1°

Total Rainfall for November 1-27, 2022 = Not Available Yet  
Normal Rainfall for November at MKCF1 = 2.02 inches

-----

Warmest Autumns	Coolest Autumns	Wettest Autumns	Driest Autumns
1 78.5 in 2015	1 71.7 in 1962	1 25.70 in 1962	1 4.57 in 1961
2 78.3 in 1998	2 72.6 in 1968	2 23.65 in 1997	2 5.85 in 1974
3 78.0 in 2019	3 72.7 in 1976	3 23.43 in 1979	3 6.14 in 1991
78.0 in 2018	4 72.8 in 1963	4 21.95 in 2014	4 6.52 in 2008
5 77.9 in 1986	5 73.4 in 1970	5 21.67 in 1995	5 7.52 in 1970
6 77.8 in 1985	73.4 in 1969	6 21.13 in 1953	6 7.57 in 1955
7 77.7 in 1991	7 73.5 in 2008	7 20.63 in 1957	7 8.07 in 2012
8 77.5 in 2020	8 73.7 in 2000	8 20.18 in 2001	8 8.67 in 1950
9 76.8 in 2009	9 73.8 in 1992	9 19.62 in 1952	9 8.75 in 1996
76.8 in 1990	10 73.9 in 1987	10 19.59 in 1994	10 8.84 in 2011

Average Temperature for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Temperature for Autumn at MKCF1 = 75.6°

Total Rainfall for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Rainfall for Autumn at MKCF1 = 13.66 inches

-----

**WAUCHULA 2 N** (records began in January 1933):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	75.7 in 1986	1	61.9 in 2012	1	11.18 in 1987	1	0.02 in 1940
2	74.6 in 2015	2	62.5 in 2014	2	10.38 in 1997	2	0.03 in 1967
3	74.4 in 1948		62.5 in 1949	3	6.43 in 1953	3	0.08 in 1960
4	73.2 in 1946	4	63.2 in 1962	4	5.89 in 1963	4	0.12 in 1991
5	72.7 in 2020	5	63.4 in 1970	5	4.75 in 1972	5	0.16 in 1974
	72.7 in 1985	6	63.5 in 1956	6	4.41 in 2002	6	0.17 in 2016
7	72.7 in 1958	7	63.8 in 2000	7	4.37 in 2014	7	0.19 in 2012
8	71.7 in 1988	8	63.9 in 1969	8	3.93 in 2010	8	0.23 in 1944
9	71.4 in 1978	9	64.0 in 1950	9	3.91 in 1937	9	0.24 in 1966
	71.4 in 1973	10	64.4 in 1954	10	3.44 in 1988		0.24 in 1956

Average Temperature for November 1-27, 2022 = Not Available Yet  
Normal Temperature for November at WAUF1 = 67.8°

Total Rainfall for November 1-27, 2022 = Not Available Yet  
Normal Rainfall for November at WAUF1 = 1.96 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.1 in 2009	1	71.6 in 2014	1	27.02 in 1953	1	2.12 in 1961
2	77.9 in 2007	2	71.7 in 2012	2	23.48 in 1947	2	3.84 in 1974
3	77.7 in 1985	3	72.0 in 1956	3	20.13 in 1975	3	4.75 in 1967
4	77.6 in 2020	4	72.1 in 1943	4	20.12 in 1952	4	4.92 in 2008
5	77.5 in 2015	5	72.2 in 1954	5	19.04 in 1987	5	5.10 in 1978
6	77.2 in 1941	6	72.5 in 2010	6	19.02 in 1960	6	5.80 in 1991
7	76.9 in 2018		72.5 in 2006	7	19.00 in 1997	7	6.09 in 1976
8	76.3 in 1946		72.5 in 1953	8	18.33 in 2017	8	6.10 in 1944
9	76.2 in 1989		72.5 in 1944	9	16.90 in 1938	9	6.32 in 1980
10	76.1 in 2019	10	72.6 in 1976	10	16.88 in 1969	10	6.58 in 2003
	76.1 in 1990						
	76.1 in 1936						

Average Temperature for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Temperature for Autumn at WAUF1 = 74.6°

Total Rainfall for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Rainfall for Autumn at WAUF1 = 11.37 inches

-----

**ARCHBOLD BIO STN** (records began in January 1969):

Warmest Novembers		Coolest Novembers		Wettest Novembers		Driest Novembers	
1	76.0 in 2015	1	62.2 in 2008	1	5.94 in 1987	1	0.00 in 2016
2	75.6 in 1986	2	63.1 in 2012	2	5.16 in 1998		0.00 in 2008
3	73.7 in 2020	3	63.2 in 1970	3	4.52 in 2002	3	0.08 in 1986
4	72.4 in 1992	4	64.2 in 1969	4	4.46 in 1997	4	0.12 in 1970
5	71.7 in 1985	5	64.4 in 1981	5	4.37 in 1992	5	0.13 in 1975
6	71.6 in 1994	6	65.1 in 2014	6	4.17 in 1977	6	0.20 in 1996
7	71.3 in 1978	7	65.3 in 2006	7	4.16 in 1994	7	0.21 in 2012
	71.3 in 1973	8	65.4 in 2000	8	3.80 in 1988	8	0.24 in 2000
9	71.2 in 2013	9	66.0 in 1991	9	3.78 in 2005	9	0.29 in 1973
10	70.6 in 2017	10	66.3 in 1997	10	3.52 in 1972	10	0.40 in 2006
	70.6 in 2003						
	70.6 in 1988						

Average Temperature for November 1-27, 2022 = Not Available Yet  
Normal Temperature for November at ACHF1 = 68.9°

Total Rainfall for November 1-27, 2022 = Not Available Yet  
Normal Rainfall for November at ACHF1 = 1.74 inches

-----

Warmest Autumns		Coolest Autumns		Wettest Autumns		Driest Autumns	
1	78.2 in 2015	1	71.6 in 2008	1	22.87 in 2017	1	4.62 in 1996
2	78.0 in 2020	2	72.5 in 2012	2	22.49 in 1987	2	4.86 in 1990
3	77.4 in 1986	3	72.7 in 2006	3	20.74 in 1969	3	5.52 in 2006
4	76.6 in 2018		72.7 in 2000	4	18.09 in 2014	4	5.96 in 1974
5	76.3 in 2019		72.7 in 1976	5	17.33 in 1977	5	6.01 in 2018
	76.3 in 1985	6	72.8 in 1997	6	17.04 in 2001	6	6.16 in 2010
7	76.2 in 2017	7	73.0 in 1981	7	16.98 in 2021	7	6.27 in 2008
8	75.8 in 2016	8	73.1 in 1970	8	16.79 in 1998	8	6.53 in 1980
	75.8 in 1973	9	73.2 in 2014	9	16.55 in 2016	9	7.16 in 1984
10	75.7 in 2009		73.2 in 1984	10	16.32 in 2005	10	7.36 in 2007

Average Temperature for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Temperature for Autumn at ACHF1 = 75.1°

Total Rainfall for Sep 1 - Nov 27, 2022 = Not Available Yet  
Normal Rainfall for Autumn at ACHF1 = 12.32 inches

-----

**PUNTA GORDA AREA** (records began in May 1914):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 78.3 in 1948	1 63.9 in 1917	1 6.91 in 2020	1 0.00 in 1931
2 76.8 in 1986	2 64.2 in 1970	2 5.97 in 1916	2 0.02 in 2012
3 75.9 in 1946	64.2 in 1968	3 5.52 in 2002	3 0.05 in 2016
4 75.5 in 2015	4 65.1 in 2008	4 5.07 in 1987	0.05 in 1990
5 74.3 in 2020	5 65.7 in 1969	5 4.60 in 2014	5 0.07 in 2007
6 74.2 in 1985	6 65.8 in 1966	6 4.54 in 1965	6 0.08 in 1940
7 74.1 in 1958	7 66.1 in 1976	7 4.40 in 1972	7 0.09 in 1993
8 73.8 in 1961	66.1 in 1923	8 4.31 in 1921	8 0.10 in 1929
9 73.6 in 1947	9 67.0 in 2012	9 4.16 in 1951	9 0.11 in 1973
10 73.0 in 1960	67.0 in 1939	10 3.92 in 1998	10 0.12 in 1924
	67.0 in 1914		

Average Temperature for November 1-27, 2022 = 74.5°

Normal Temperature for November at PGD = 70.2°

Total Rainfall for November 1-27, 2022 = 7.96 inches

Normal Rainfall for November at PGD = 2.12 inches

-----

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 79.6 in 1948	1 72.4 in 1917	1 31.25 in 1959	1 5.37 in 2008
2 79.4 in 1986	2 73.0 in 1976	2 24.61 in 1922	2 5.75 in 1961
3 79.3 in 2020	73.0 in 1968	3 23.01 in 1962	3 5.87 in 1974
4 79.1 in 1946	4 73.5 in 1923	4 21.28 in 1953	4 5.91 in 1927
5 78.7 in 2018	5 73.7 in 1930	5 20.82 in 1995	5 5.95 in 1973
78.7 in 1985	6 73.8 in 1914	6 20.64 in 1947	6 6.00 in 1931
7 78.1 in 2015	7 73.9 in 1943	7 20.39 in 1924	7 6.22 in 1991
78.1 in 1947	73.9 in 1940	8 18.72 in 1929	8 6.33 in 1970
9 77.9 in 1960	9 74.0 in 1970	9 18.66 in 1951	9 6.62 in 1978
77.9 in 1951	10 74.1 in 2008	10 18.54 in 1945	10 6.82 in 1920
	74.1 in 1969		
	74.1 in 1966		

Average Temperature for Sep 1 - Nov 27, 2022 = 77.8°

Normal Temperature for Autumn at PGD = 76.5°

Total Rainfall for Sep 1 - Nov 27, 2022 = 24.71 inches

Normal Rainfall for Autumn at PGD = 12.01 inches

-----

**FORT MYERS AREA** (records began in January 1902):

Warmest Novembers	Coollest Novembers	Wettest Novembers	Driest Novembers
1 78.3 in 1986	1 64.1 in 1917	1 8.06 in 1987	1 Trace in 2016
2 76.7 in 2015	2 64.9 in 1910	2 7.58 in 1998	Trace in 2000
3 75.6 in 1985	3 65.4 in 1956	3 5.67 in 2002	Trace in 1944
75.6 in 1948	4 65.7 in 1949	4 4.60 in 1921	4 0.01 in 1990
5 75.4 in 1994	5 65.9 in 1923	5 4.47 in 2014	5 0.02 in 1950
6 75.0 in 1946	6 66.1 in 1962	6 4.21 in 2020	6 0.03 in 1945
7 74.9 in 2020	7 66.2 in 1969	7 4.11 in 1997	7 0.04 in 1978
8 74.2 in 1978	8 66.3 in 1903	8 3.85 in 1972	8 0.06 in 1905
9 74.0 in 2017	9 66.6 in 1950	9 3.75 in 2005	9 0.08 in 1942
74.0 in 1988	10 66.7 in 1976	10 3.71 in 1922	10 0.09 in 2008
	66.7 in 1970		0.09 in 2007
			0.09 in 1931

Average Temperature for November 1-27, 2022 = 76.6°

Normal Temperature for November at FMY = 71.5°

Total Rainfall for November 1-27, 2022 = 1.98 inches

Normal Rainfall for November at FMY = 1.78 inches

-----

Warmest Autumns	Coollest Autumns	Wettest Autumns	Driest Autumns
1 80.4 in 1986	1 72.5 in 1903	1 32.14 in 1922	1 5.16 in 1988
2 80.2 in 1985	2 72.7 in 1910	2 27.85 in 1969	2 5.95 in 1942
3 79.8 in 2019	3 72.9 in 1976	3 26.80 in 1924	3 5.96 in 1974
4 79.1 in 2020	4 73.7 in 1908	4 23.34 in 1947	4 5.97 in 1907
79.1 in 2015	5 73.8 in 1913	5 23.33 in 1953	5 6.11 in 1992
6 78.8 in 1979	6 74.0 in 1923	6 22.99 in 1962	6 6.12 in 1906
7 78.7 in 1994	7 74.1 in 1953	7 22.36 in 2020	7 6.31 in 2004
8 78.6 in 2018	8 74.3 in 1909	8 21.74 in 1998	8 6.50 in 1966
9 78.5 in 2021	9 74.4 in 1943	9 21.44 in 1952	9 6.67 in 1978
78.5 in 2007	74.4 in 1914	10 20.90 in 2011	10 6.78 in 1904
78.5 in 1996			
78.5 in 1990			

Average Temperature for Sep 1 - Nov 27, 2022 = 79.4°

Normal Temperature for Autumn at FMY = 77.2°

Total Rainfall for Sep 1 - Nov 27, 2022 = 20.02 inches

Normal Rainfall for Autumn at FMY = 13.86 inches

-----

For more local climate information, please visit our web page at <https://www.weather.gov/tampabay> and look within the "Climate and Past Weather" drop down menu above the map of the area.